



Technical resources

tempered nylon planetary mill jar

<https://www.tencanballmills.com/en/products/grinding-series/planetary-ball-mill-jar/tempered-nylon-planetary-mill-jar.html>

09.10.2026 / TENCAN

tempered nylon planetary mill jar

Model:

Modified nylon planetary mill jar with excellent wear resistance, integrally cast from mold for durability. Ideal for grinding various materials in planetary ball mills.

Technical specifications

Outer diameter (mm)	98~248
Inner diameter (mm)	73~216
Height (mm)	90~300

These specifications describe the series. Confirm the selected model, power supply and configuration before ordering.



The planetary tempered nylon ball mill tank is a modified nylon tank with good wear resistance. It is formed by mold casting and is durable. It is the preferred ball milling tank when grinding materials in a ball mill.



Technical parameters

Model specifications	Outer diameter (mm)	Inner diameter (mm)	Height(mm)
250ml	98	73	90
500ml	109	84	120
1000ml	133	108	140
2000ml	159	145	175
3000ml	178	154	198
5000ml	219	188	218
10L	248	216	300

1. Integral mold casting, good compactness, higher density than ordinary nylon
2. Good uniformity, no internal stress, and more stable structure
3. Tempered modification, high hardness, good rigidity, small friction coefficient
4. High hardness and good wear resistance
5. Good rigidity, strong impact resistance, and can produce a crisp metallic sound when struck.
6. Small friction coefficient and lower heat production
7. Good heat resistance, heat-resistant deformation temperature exceeds 90°C

Contact

Changsha Tianchuang Powder Technology Co., Ltd. / Changsha, Hunan, China

Email: lichang0516@gmail.com

Phone / WhatsApp: +86 731 84027560 / WhatsApp +86 19021571516

<https://www.tencanballmills.com/en/products/grinding-series/planetary-ball-mill-jar/tempered-nylon-planetary-mill-jar.html>

Before operation, review the selected model's instructions and the material requirements.