



---

Technical resources

## **cetamic roll mill jar**

<https://www.tencanballmills.com/en/products/grinding-series/roller-ball-mill-jar/cetamic-roll-mill-jar.html>

09.10.2026 / TENCAN

# cetamic roll mill jar

Model:

High-purity ceramic roll mill jar with excellent chemical stability and wear resistance. Ideal for grinding chemicals, pharmaceuticals, rare earth materials, and various silicate products.

## Technical specifications

|                     |           |
|---------------------|-----------|
| Model specification | 500ml-20L |
| Outer diameter (mm) | φ105-φ290 |
| Height (mm)         | 140-350   |

These specifications describe the series. Confirm the selected model, power supply and configuration before ordering.



It has good chemical stability and wear resistance and is suitable for crushing various chemical products, pharmaceutical products, rare earth materials and various silicate materials.



滚筒陶瓷球磨罐配氧化铝球







## Technical parameters

| model | Diameter(mm) | Height including cover (mm) | Shoulder height (mm) |
|-------|--------------|-----------------------------|----------------------|
| 5L    | Φ220         | 260                         | Around 220           |
| 10L   | Φ260         | 320                         | Around 260           |
| 15L   | Φ300         | 360                         | Around 280           |
| 20L   | Φ300         | 400                         | Around 300           |

1. The tank streamline design is perfectly unified with the ball mill.
2. The tank wall is super thick, wear-resistant and durable.

3. Economical and cost-effective.

4. Wide range of application.

#### 流线设计

罐体流线设计，与球磨  
磨机完美统一。

#### 耐磨耐用

罐壁超厚，耐磨  
耐用。

#### 性价比高

经济实惠，性价  
比高。

#### 适用范围广

## Contact

Changsha Tianchuang Powder Technology Co., Ltd. / Changsha, Hunan, China

Email: lichang0516@gmail.com

Phone / WhatsApp: +86 731 84027560 / WhatsApp +86 19021571516

<https://www.tencanballmills.com/en/products/grinding-series/roller-ball-mill-jar/cetamic-roll-mill-jar.html>

Before operation, review the selected model's instructions and the material requirements.